77736





3858

ACCESSION NUMBER
77736
PRESS MARK
MS 1050

77736

# of Emplasters.

Emp: Nigrum.

℞. ol. Olivar. ℥iij. Plumb. alb. ℥ij
Pic. Nigr ℥ij. Cer. flav. ℥ij.
Terebinth. Venet. ℥j
Cophonæ ℥j. Misce.
Emp. Epispast.

℞. ol. Olivar. Tereb Venet aa ℥j
Cer. flav. ℥ij ʒx. Myrrh. p. ʒij.
Canthorid. ℥j ʒxiv. Camp. in Sp. R. Sol.
ʒi. ℥j. Misce. f. Emp. Epispast.
s. a. ℥r. M.r Worden Michael
Steyning

Copy of Letter from Lord Germaine to Sir William Howe, dated 26th June, 1776.

Sir,

Whitehall, 26th June, 1776.

The Rebellion in the Province of New York, and the Measures taken for the Reduction of it, have hitherto been so fully and ably conducted by you, that I have little to add upon the Subject, but to express the Satisfaction with which I have received the Accounts of your Success, and to assure you, that the Progress you have made, and the Advantages you have gained, are highly approved by the King.

I am, Sir,

Your most obedient humble Servant,

Sir William Howe, K.B.

Geo. Germaine.

77736

Of Emplasters.

Emp: Nigrum.

℞. ol. Olivar. ℥iij. Plumb. alb. ℥ij
Pic. Nigr ℥ij's. Cer. flav. ℥ij's.
Terebinth. Venet. ℥ij
Caphura ℥i. Misce.

Emp. Epispast.

℞. ol. Olivar. Tereb Venet ad ℥i
Cer. flav. ℥ij ℨx. Myrrh. p. ℨij's
Canthard. ℥j ℨxiv. Camp. in Sp. R. Sal
℥i. ℥ij. Misce. f. Emp. Epispast.
S. a. ℈. M.r Morden Michael
Steynung

2)

Emp: Flavum

℞. Cer. flav. ℔ss. Resina ℔ij
Terebinth Venet. ℔ss. Pulv. Mastich. ℥ij
Put the Wax & Rosin in first
and then put ol. of ag. font. & when
it is melted add the Terеb. Venet
and when the water is all wasted
add Pulv. Mastich; Misce f. l. a. s. a.

Emp. de Tenaciter.

℞. Plumb. Rub. ℔ij. Cer flav. ~~℔ij~~ ℥xij
ol. Olivar. ℔ij. ℥vj. Resin ℔j. Misce
fiat. Emp. s. a.

Emp. [illegible] fortiùs,

℞. Diach. S. ℥ij
Pix. Burgund ℥ss.

Next Melon

℞. Emp. Stict. ℈j. Oxyer. Diapsalm.
aa ʒxij Diach. s. ʒiv. Demin. Rub.
ʒij. Misc.

Heut Bluk

℞. Emp. Diapsalm. ℈ß
Adhermiam ʒiv. Misc
Vesicator ~~ℰ~~ Equi~~s~~

℞. Canthar. p. ʒß. Gum. Euphorb. p. ʒij
Tereb. Venet. ʒij. Misc.
Linimen. ℔. Vesicator. perfet.
Secund. D. Gold.

℞. ung. Basilic. ʒß. Sem. Cannab. ʒ.
Bulb. Liliarum aa ʒi. Cantharides. p. ℈j
Cum. s. q. ung. Donat f. Linimen.

4) A. Plaister for Issues

℞. Emp. Diach. ℈ ℔ss. pix Burgund ℥ij
ol. Mac. ℔ Express. ℥ij
Bals. e pern. ℈ß. Liquid Styrax ℥ij
Rad. Orris. p. ℥ijs Misce.

An. Emplaister.

℞. Diach. ℈ ℥ijs. ol. Olivar. ℥ij.
Cera flav. ℥j. Mel Anglic. ℥j. Misce
A. Cerecloth.

℞. Emp. Catagmat. ℥ij. Diapal. ℥ij
Sperm. Cati ℥ß. ol. Oliv. ℥ß. Misce
Emp. Paralytic.

℞. Galbanum ℥ij Melilot. ℈. Diach. ℈.
aa ℥ijs. Cer. flav. ℥j. Terebinth Venet
℥ß. Croc. Angl. ℥ij. Misce

A. Stomach. Plaister. Compound

Rx. Magistral. Stomach plaister Zfs
Tacamahac. Colatted Zij melt & then
add powderd Balsam of Tolu. Zi Dragons
Blood Bals. of Peru aa Zfs. oil of. N. M.
Cloves aa Gutt. 2: oil of Aniseed. Gutt. j.
Misce

A. Plaister for the Temples

Rx. Carana Zj. Spread it upon a fitting
peice of Leather. & put in the Middle
of it Opium Gr. 2. oil of Amber Gutt. 4
It is good ag.st the head Ach, behind the
Ears it Takes away the paine in the
Teeth.

℞. Sheeps Sewet ℥ij. Cer. flav. ℥j.
ol. Olivar ℥vj. Misce fiat Cerat.

℞. Axungia ℥vj Argent. viv. ℥ß
Caphura ℥vj. ung.t Rosar.
Popul. aa ℥ij. Misce fiat Liniment.m

℞. Butr. Rect mense Maij collect.
et Sine Sale ℔ras. cera Citrin. ℔ßiime
defecat ad. ℔ij ol. Oliv. rc. & puris ℔iv
Lapid. Calamin. Select. (non Rubri aut
Lateritij coloris) Subtilissime trit. et
Cribat ℔ij. ℥x. Liquescant cera cum
Butiro in vasculo ideneo lento igne
una cum oleo, et Liquefacta colentur
per panum Cannabinum in vas
alterum, Statimque insperge pulverm
Gradatim, continuo agitando Mixturam
e fundo vasis donec frigescere
incipiat et pulveris præponderet Seo
non amplius Subsidere possit —

Ung. Tutiæ

Of Ointments. &c

Ung.t ad Prurit.m Hors.ij

℞. Axung.ia ℥iv. Sal. Nitr. ℥ss
Flor. Sulph. ℥j. Misc. S.a.

An Ointm.t for the Lips

℞. Ung.t Pomat. ol. Dulc. aa ℥ss
Cer.a alb. ℥vj. Bals Per.u. Sperm.
Cet.i ad. ℥j. Rad.x Anchusa. q.s.
Misc. fiat. ung.t S. a.

Ung.t Flavum

℞. Cer.a flav. ℥ij Axung.ia ℥iv
Gum. Thur. Tereb. Venet aa ℥ij
Misc.

8)

℞. Litharg. Aur. ℥ij. ol. Oliv. ℥ij
Aquæ Vin. alb. Coch. ij. ol. Limi Coch. j.
Cerussæ ℥ss. Misce.

Take a pint of Milk Warm from the Cow, Alum a Sufficient Quantity to Turn it to a Curd, the Whey is to be taken & the Curd applied to the part affected; ——— ———

℞. Emp. Demin. Rubr. ℥j
ol. Sambuc. ℥j. Misce
fiat. ung. l. s. a.

℞. ung.ti Nutt. De Althea.
aa. ℥j. ung.ti Basilic. Min. ℥ij
ol. Terebinth. Gutt. xx.
Misce fiat ung.ti s. a.

℞ Ung.ti De Althea ℥i.
ol. Later. Gutt. xx. Sperm. Cet.
℥ß. ol. Lilior alb. ℥ß. Sp.t Sal. Armon.
Gutt xxx. Misce. fiat Linimentum

℞. Gum Myrrh. ℈i
Cᵉ. ℥i. Cremor Tartar ℥i
Bole. q. s. Misce fiat pulv.

℞. Creta Candida ℥ij
Oculi Cancr. ppt ℥i.
Sach. alb. ℥xij. R. M. ℥i.
Sem. Cydon. q. s. ut fiat Emulsion.
Misce. fiat Troch. N. a

Pro Pulte Me Pulv. ad. Dentifric. Sic te. M. — Dentifricium Antiscorbuticum

Sullum Calvi {

℞. Resin. flav. ℥ ob. Tereb. aa ℥ iv.
ob. olivar. opt.ᵉ ℥ vj. ob. Juniper ℈ ij
Misce.

℞. Sp.ᵗ Nitri fort. vel. Sal Dulc. ℥ij
Sp.ᵗ Vini Rect. ℈ vj. aq. font
simp. ℥ ij. Misce fiat
Sp.ᵗ Nitri.
Dreuipitat Rubr.

℞. Merc. Subl. ℥ij. Cinabr. Ant ℥ij
Plumb. Rubr. ℥ iv. Misce

To fasten the Teeth, the following
Solution is Good }

℞. Terra Japon. ℥ij. in Vini Rubr. ℔ss
for a Lotion

For the Venereal Disease

℞ Pill. ex Duob. Gr xxv.
Resin. Jallap. Gr. vj.
Calomel. Gr. xv. Misce fiat Duinqm.
Pillul. S. a.

℞ Common Mallows Mj. aq. font. Dß
Boil it till a Quart is wasted then
Strain it and add. Gum. Arab. ℥j
Syr. althea. q. s. Misce fiat Apozema
a Quarter of a Pint to be taken Every Two
Hours Warm

℞ Elect. Lenitiv. ℥ß. Pulv. Rhei ℥ß
Ethiop. Mineral ℥ij. Bals. Capiv. q. s.
ut fiat Electuar. q. n. M. to be taken
Morning & Evening

12.

Take Common Mallows Mij
Marsh Mallow Roots Dj. Pellitory of the
Wall. Mj. Sal. prunel. Zij. Gum Arab. Zjs
Boil the Herbs & Roots in five pints
of water to three pints Strain it, and
then Put in the Sal. prunel. & Gum Arab.
and Dissolve it over the fire.
Half a Pint to be taken Every Evening
Warm; Sweeten it w.th Syr. Althea
ad Gonorrhaam }

℞. Cassiæ recent extract Zjs
Pulv. Jalap. Dj. Mercur. d. Gr. vj.
ol. Cinnamom Gutt. j. Misce
fiat Bolus, Dward Battin

℞. Terra Jappon. Ziij
Resina. Zj. Terebinth Venet Ziij
Syr. Cydon q.s. ut fiat Electuar.

Vomitus

℞. Terra Japponi. ℥ij
Resina ℥ß. Bals. Sucatt.
Cons. Rosar. Rubr. ana ℥i.
~~Syr. Rosa. Mosc. Rubr.~~
Syr. Rosa Sicc. q. s. ut fiat
Electuarium ; Capiat. Quantit.
N. vel. ad Nocte Manegc

Vomitus & Alvi Fluxus

℞. Terebr. Venet ℥ß. ol. Succ.
Nuc. Mosc. ℈i. Vitel. ovi i ; Syr. de
allth. ℥j. Vin. alb. ℥iv. Misce fiat
Haustus. ad Gonorrhœam Sat
bene

Alvi Fluxus

℞. Elix. proprict ℥ß
Tinct Martis. Myndthi ℥ij
Misce. Inthe xxv. to xxx. Morning
& Evening in a Glass of White Wine
& Water

Dr. Burkitt's Prescription
for Rheumatism

℞. Cort.ˣ Interior Sambuc. ℥ij
Summit. ab Sinth. Roman. ℥ss.
Rad.ˣ Gentian. ℥ss. Sem. Sinap. —
Daucᵢ Sylv. ana ℥ij —
Infunde in Vin. alb. Gallic. ℔ij
Drink a Draught three times a Day

Dr. Mead's Method

℞. Cinerᵢ Genist. ad albed. Calcinat
& Cribrat ℥iv. ponantur in Lagena
Vitr. Cum. Vin. alb. ℔ij
digere in Loco tepid. ad 3. vel 4. Horas
& cola;
The Dose is Six or Eight Spoonfuls
twice a Day.

℞. Cinerᵢ Genist. alb. & Mundat. ℔ij
Nasturᵢ Lign. Sassafr. ℥ij
Rad.ˣ Galang. ℥i
Bacᵢ. Juniperᵢ.
Semᵢ. Daucᵢ. ana ℥ss Misce fiat Saculus

for four Gallons of Beer; after Seven or Eight Days it may be Drank ——

For an Asthma.

℞. Succ. Limon.
reuens Express. ℥ij
Succ. Cochlear. hortens: ℥ij
Hepatic. plantag.
Syr. Violar. ana ℥ij Misce.
four ounces to be taken every three Hours

The Powder of Bees Drank in White-wine; provokes Urine to a Wonder the Dose three Bees; ——

For Stone in the Reins and Gravel.

℞. Bals. Peru ℥j. Styrac ℥ij
Benzoin: ℥ij. Aloes Succot:
Myrrhæ, Thuris Rad Angel. flor.
Hyperic ā ℥fs. Sp.t Vin Rect ℥j.
Misce et Digere ——

The Green Balsam
D.r W.m le Clerc

Take Linseed oil and that of Olives of each one pint, one ounce of oil of Bays, two ounces of Venice Turpentine Half an ounce of the destilld oil of Juniper Berries three Drams of — Verdegrease two Drams of Succrine Aloes, two Drams and a half of white Vitriol, and one of the Oil of Cloves. —

This Balsam Mundifies, incarnats and Cicatrizes wounds: being Likewise Good against the Bitings of Venomous Beasts, and fistulous and Malignant Ulcers.

But it Would be requisite at first to Wash the Wound w.th warm Wine then to anoint it w.th this Balsam very Hot: and to apply bolsters that Have been Steep.t in it as also a Large Bolster over the other Dipt in Some Styptick Liquor —

17.

Take a pint of Water in which unslack'd Lime
Has been quenched; and a Dram of Sal
Ammoniack pulverized; mingle these ingredients
together in a Brass Bason and Let 'em be
Infused during a Whole Night, then filtrate
the Liquor and keep it for use.

This Collyrium is one of the best Medicine
that can be prepared for all Manner of
Diseases of the Eyes ——

℞ Rad.ᵃ Serpent. Virgin. ℥j
pulp. Colocynth.
in Nodul. Ligat. ʒj
Herb. Tanacet.
Summitat. Sabin. ana ℈ss.
Coq. in aq. Font. q.s. ad ℥vj.
Colatur. add. ob. Hyperic. ʒss
ob. Absinth. Chym. ʒss.
Spec. Hier. pier. ʒss. Misce fiat Enema
To be Given Every New Moon
and Repeated for Some Months ——

A Pill Purgative, for the Cure of Scurvy, &c. &c. &c. —

In putrid Gums, Ouasioning Looseness
of the Teeth;
Rx. Gum Sac. ℥ij
Crem. aq. Cal Supernatant. ℥j.
Alum ust. ℈j.
Flor. Rosar. Rubr. ℈ss
Misce fiat pulv. Subtilis.
To be used with a little Mel. Rosar.

The following plaister Dislokes Strumas
or brings them to Suppuration, and never
fails Says Zacutus Lusitanus upon
His Oath;
Lib 1. prax. Admiranda observ.
Rx. Rad.ᵉ Bryon. Magn, in Faleolas
ten. Sect. ℈ss. frige in Sanguine,
in ol. oliv. Dulc. ℥ij. donec Contabescat
Colat & add. Terebinth. Abiet. ℈ss
Cera flav. ℥v. Misce fiat ung.
S. a ——

Tonica Vestigo ——

For a Diarrhœa

℞. pulv. Rad.x paon. mar. ℥ij
flor. ejusd. ℥j.
Sterc. pavon. albis. ℈ss.
Sachar. alb. ℥ij
Misce fiat pulvis,

The Dose is about a Spoonful twice a Day, Drinking after it a Draught of a Decoction of Sage and Rosemary impregnated with a Tincture of Coffe

For an Asthma

℞. ol. Succin.
Spicæ
Castor ana ℈ij
Tinct. Hiperic.
Succ. Rut. Expres ana ℥iij. M. f.
Linamentum.

Anoint the Neck &c

For an Asthma

℞ flor. Benz. Sic.
Scord. ana ℥ij
Rad.ˣ Serpentar. Virgin: ℥ß
flor. Hyperic. ℥ij
Theriac Londinens. ℥j
Syr. e Cort. Limon: q. s.
Misce fiat Electuarium
for nine Doses one to be taken
Every Morning —

For a Diuretic

℞. Gum Arab. ℥ij
Tragacanth: ℥ij
aq. Cinnamom. ten. ℥x.
Syr. de Althæ. ℥ij Misce
fiat Emulsio.
To be taken a Spoonful at a time

Cera
S. a

The Ingredients of Pills for Stools

℞ Lumbricor. Terrest. pp.r. ℥j
Cran. humani pp.r. ℥ij
Sem. Cardam. Minor. ℥ij
Misce f. pulvis in Chart xij dividend;
Sumat unam bis in die,
& Julap. Sequent;

℞ aq. Cerasi Nigr.
Flor. Tiliæ ana ℥ss.
Paon. Comp. ℥ij
Tinct. Castor. ℥ij
Syr. Paon. ℈ ℥ij
Misce fiat Julapium —

after Each Dose the person May take xxx Drops of Elix.r propr Dulc. Dropped upon a Little Sugar, because the Stomach is apt to Loath So Great a Quantity of Nauseous powder —

(22)

℞. Rad.ᵉ Serpent. Virgin.
flor. Hyperic ana p. ɑ
M. f. pulvis.
Dose ʒs vel ʒij
In Coch. aliquot Julap. Cephalic
or the following Infusion
℞. fol. Rut. ʒvj.
Theriac. Venet
Rad.ᵉ Allij,
Rament. Iouis ana ʒiv
Infund ɑ

Infuse them in Canary or white wine
in Balneo for four Hours; Let it be Strain'd
by Strong Expression.
The Dose ʒij or three Every Morning
for nine Days; and let the person sit
continue fasting for three Hours. Let
the Ingredients remaining be bound upon
the wounded part, and be Renewed Every Day

Balsamick Lozenges for a Cough

℞. Bals. Tolutan ℥ ß
Pulv. Rad. Irid.
Eruc. Campain. ana ℥ ij
Gum Arab.
Tragacanth. ana ℥ i.
Flor. Benzoin ʒ ij
Sacchar. Cand. ℥ ß.
omnibus in pulvis, Subtil, redactis,
Cum Mucilag. G. Tragacanth, q. s. f. S. a
Trochisci

Sem. 4. frig. Maj.

Cucumeris Hortensis
Cucurbitæ
Melonum
Pepo Maximus

For an Ophthalmia

Let the White of one Egg be beat up with a piece of Alum, till it is of the Consistence of an Ointment which is to be Spread upon Linnen Cloth, and applied warm to the Eye In two or three Hours it is to be taken away, Lest it ~~Stand~~ Should bind up the Humours too Much ——

It abates the Inflammation, and Restrains the fluxion —

℞ Opthalmic Water from Hoffman

℞. Vin. Rhenan. ℥
aq. Plantag.
Rosar. ana ℥ij
Tutiæ præp. ℈j
Myrrh. elect. ℈ß
Coq. ad tertiæ partis Consumptionem
Sub. finem in Nodul. Suspend.
pulv. Virid. Æris ℈j. Camphor Gr. viij
Colatur. sine Expressione.

For a Blyte or Wound of the Eye

℞. Flor. Ros. Rubr.
— Sambuc. ana ℥j.
Coq. in Lact. Vacin. q. s.
ad. ℔ss. Colatur. adde
Mic. panis alb. q. s.
That it may be Reduced by Moderate boiling
to a Due Consistence; about the End, adding
the White of an Egg with a Little Saffron
finely Cut. for a Cataplasm to be applied
Moderately Warm first anointing the
Eye-lid that is Swelled with Ung. Sambuc

For a Cancer ✠✠✠

℞. Tinct Hyst Talcons ℥ss
Mel. Rosar. ℥j. Aq. Plantag
℥ij Misce

℞. Gum Guaic: Dill Stomach
alaphang. aa ℥ij. Sal. absinth
Cochlear d ℈s. Ext. Gentiana
Chelid. d. ℥ij. Sal. mart. Dub.
Rhabarb d. ℥i. Elix.r Proprietat. q. s
misc. f. Dill. 12. ex ℥i. &

The Cathartic Pills of Dr. Anderson

℞. Rad.x Gentian: mis. ℥ij. Cort.x
Vint. ℥ij. Summitat Centaur.
min. M.x. Flor. Cham. p. ij
Calam. Aromat. ℥ij. Galang. ℥io
Caryoph. ℥j. Infund. in Vini albi
Generosi ℔ij: Stent p.r hx. xxiv
Exp. Cyathu mane vacuo ventri
Culo: ℞ ——

To Strengthen the Stomach ——

For the Cough

℞. Amygd. dulc. Exortic. Sem.
Papav. alb. ā ℥ß. Malv. ℳj
Barley water ℔j Misce fiat
Emulsio. adde Syr. Althæa ℥ij
et Sacchar. Saturn. Gr. x6
Eight Spoonfuls of this Mixture to be
taken Every Morning noon and
night

℞ Syr. Antihect. ℥ß

℞. Ground Ivy one Gallon
Rosemary, Coltsfoot Maiden
hair, Horehound, Lungs of an Oak
Rue of Each ℳj. Penny Royall ℳß.
Hyssop ℳ2. Comfry Roots ℥
Elecampane Roots ā ℥j. Marygold
flowers ℥ Marsh Mallow Roots
of Each ℳj

Boil all the Ingredients In a Gallon
of Spring Water to Half a Gallon
then Strain & Make a Syrup S. a.

Two or three Spoonfuls of the Syrup
to be taken Morning & Evening —

Enema Terebinthinatum
Dr Thomas Fuller

℞ Decoct. com. ℥xij
Terebinth. Venet ℥ss
Vitel. Ovi unius, Syr. Violar ℥ss
Elect. Diaphœn. ℥j. misce
In Dolore Calculoso Valde prosunum

A Fricassee.

Take a Sheeps Head

Trotters N°. xL Two Double Handfulls of Mallows and Half a Pound of Wild Vine Roots, Bruse the head and Trotters, then Boil all the Ingredients in five or Six Gallons of Water. Till there Arises a Scumme then Skim it off & Keepit by it Self. And the Part Affected to be Kept in the Liquor for Some time in order to Relax & Soften it, and When you take it out, Bathe it With the Oil;

30

Ung.t Viride

℞. Bay Leafs. Mj. Rosemary, Hore Hound
Thyme, Hyssop, Sweet Marjoram
Lavender, Lavender cotton, Chamomil
White Roses & Red, Southernwood
fetherfew of Each a Handfull,
w.th a Sufficient Quantity of Lard
Make an Ointm.t S. a.

A. Suppurative Cataplasm

℞. Comon Mallows, Rue, fetherfew.
aa. a Small Handful, ~~a peece of Lard~~
a Little White Lilly Root w.th a Small
peece of Lard, Boil all the Ingredients
in Milk, and w.th a Sufficient Quantity
of Meal Make a Cataplasm
S. a.

℞. aq. Calis Oj. Salvia Mj.
Mel. Anglic. Zij. Coq. ad xij
Colatur. adde, Alumen p. Zj
Misce fiat Lotion.

℞. Aqua sorcha

℞. Broom Tops Aloes Succot
2 Jenny worth: Ginger 2 Jenny worth
To be Infused in two Quarts of Strong
Beer forty Hours
a Beer Glass to be taken Morning
and Ebening

For a Fever

℞. Pulv. Ipecac 3ß
Vini Montan. ℥j
Tartr Emet. gr: 6.
Digest & then Strain off the fine Liquor
Dose ʒij

N. Inspissative Catapotism

℞. Common Mallows a small Handful
Marsh Mallow roots ʒj. Seed. Lini
Fenugreec. aa ʒij w.th a little
White Lilly Root M.f. Catapotism

34 Medicated Cauls.

The Medicaments are as Followeth:

℞. Cort. Mali. granat. aud. in lumbra
Siccat. & pulveriz. ℥ij Alumin. pulver
℈j. Emp. de Cerussa ℥j. Misce
Super Ignem

Or ℞ Merc. præcipitat. Rub. ℈j
Sapp. Calaminar ℥ij Vitriol.
Calcinat ℈ß. Emp. Diachalcith ℥ij
Ad Ignem Liquefact

Wiseman Chap. 21. p. 412 of a Gonorrhœa

℞. pulv. Sabin. Alum. ust. præcipit. Rub
Sapp. Calaminar. Vitriol. Calcinat
Merc. Sublimat. &c.
Mixt with a Due Proportion of Emp.
Diacalcit. de Cerus. or e Mucilagin.

But for a Specimen take only this

℞. Merc. præcipit. Rub. ℥ij Sapp.
Calaminar. ℈ij. Vitriol. calcinat ℈j
Emp. Diacalcit. ℥ß ad Ignem Liquefact
& fiat. Caul. Sa—

For Remedy of the Venereal Disease

P. 19 b

Jemmz: of the Epispelus. 1t

℞. Aq. Calcis Spt. Vini camphorat ana ℥ij
Saponis Castil. ℥j. ℈. Solutio instar
Spirituosi ultima ad partes duplicata
℞. Aq. Sambuc ℥ij Cerae flavae ℥ß. Camphor
℈ß. Liquescendo simul pro Cerato
℔ 60

℞. Conf. Juniper. Pulv. e Chelis. Cancr. ℈. ana
℈ Pulv. Rad. Rhei ℈ß. Croci Sal. Absinth
Anet. Gr. v. Syr. Limon. q.s. m.f. Bolus
℞. Aq. Flor. Sambuci ℥ß. Aq. Theriacal
Philad. ℥iij Syr. Croci ℥ß m.f. Julapium
℔ 53.

℞. Decoct. com. pro. Clyst ℥vij. Mel. Mercurial
Syr. Violar. ana ℥ij Spec. Hier. pic.
Fab. Jem. ana ℈j. m.f. Enema injiciendum
circa Vesperi.

℞. Aq. Flor. Sambuc. Spir. Vini. Camph
ana ℥ij Saponis Castil. 1 unciam
Misce & in eadem Mixtura Jalapium
Solutum ℥j. ℔ 54.

Of the Hysterics

℞ Rad. Rhei. Semiter incis. Rob. Sennæ ℥i
Jamaicæ ℥ss. Sab. Tart. ℈i. Coque Semitor
in aq. f. q. s. pro Colatura ℥ij cui
adde Syr. ℞ f. Solut. ℥j. M. f. Potio
℔. S. S.

℞ Sem. 4or. fr. Majana ℥j. Sem. papav. alb.
℥ij. Amygd. D. Decort. № vj. Veh. Vit
Contusis affunde aq. Hord. (in qua ℥ss
Gum. Arabic fuerit Soluta) deinde
Colatura, adde aq. Cinnam. Hord.
paon. ℥j. aa ℥ij Sacch. Chrystal. q. s. & fiat
Emulsio, de qua bibat Haustulum
in Intervallis.
℔ S. S.

Turner of the Hydrocephalus

The perpetual Blister

℞ Ung. e Basilic. Vel Rutæ Veh. Nigri ℥j
Cantharidum in Subtilissimum
Pulverem ℈ij ob. Olivar. q. s
ut exinde Ungi Species, f. Litus.
℔ 2. 9

℞ of the Hydrocephalus

℞. Sumit. Absinth. Chamomel. Melilot
aaa ℥j. Butyr. rec. ℔j. Chamomel
aaa ℥ij Cer. q. parum, ad Ignem
parum ℔. Unguentum.

℞. Summit. Rorismar. Hyss. Salvia
Beton. aaa M.j. Flor. Lamb. Chamæm
aaa M.ß. Anthos. Lavendul. aa p.j.
Coq. in aq. Calic. q. s. pro Colatura
Dij. Tempore lusu Infundendo
Tantillum Spir. Vini Camphorat
& ℔. fotus, in præcentinitj parui
Lanei Molas, calidoque adstrenuè
Expressi, applicentur circum circa
Calvario prius rasa, per semihoram
pro uno Tempore, & removentur
Eodem modo bis Quotidie, Mane Scilicet
& Vesperi. ⁂

My Dear
Lord to all you at

A Receipt Excellent for Horses,
That are Stuffing

Take Powder of Liquorice, & Flower of
Brimstone of Each Equal Parts;
Mix them, & Give from two Ounces
to four According to the Size of the Horse
Twice a Day.

This is a Good Medicine to cure Broken
Winded Horses, taken at the Beginning
or for Short Winded or Gursy Horses
When the Malady is Confirmed. ——

The Perpetual Blister of Mr. Turner

℞. Aung.ti Basilic. vel. Amygd. vel Nigri ℥ j
Cantharidum in Subtilissimum
Pulverem Reductarum ℥ij ol.
Olivar. q.s. ut exinde Ligneatus
fiat Linteus ad. Usum Supra
Præscriptum ——.

For a Sore Breast or any Other Sore or Swelling

Take half a pint of Sallet Oil, four Ounces of Bees Wax melt the Wax w.th the Oil Stirring it till it begins to boil then take it off & put in it two Spoonfuls of Stone, put it on the fire till it boils then add Diach. C. C. ℥ij. keep Stirring it till Cold. Wash first with L.a

In an Ischiatick Pain, Laterius Sulph. de Gice Sulphurat. is Deserving of the Greatest praise

℞ Aquæ flavæ C. ℥iv
Sorebuth. Venet ℥ß
Mastich
Succina aa ℥ij
Sulph.t commun. ℥ß
White first Englestrum

An Emollient Cataplasm

℞ Take Mallows, Marshmallows, Mullein, Ground-sel of Each an Handfull Grossly Chopt. Boil them in two Quarts of Water to the Consumption of Half; then Strain it and Press out the Liquor. Take this Liquor and add a Sufficient Quanty of the Flowers to it; then Boil it to the Consistence of a Cataplasm. when it is Boild, to Make it More emollient and Prevent its drying, add half an Ounce of Ointment of Marsh-Mallows.

A Discutient Cataplasm

℞ Take half a pint of Wine, and Boil in it half a Pound of Honey; when it begins to thicken, add the Yolks of four or five Eggs Mixed with a Spoonful or two of Wine Gally — then let it Boil again a little longer

A Maturating Cataplasm

℞ Take a Handfull of Sorrel, and as Much Beet Stew them over the fire in a Napkin, without Water keeping them Stirring continually When the Herbs are Soft Mix three Ounces of Leven with them and as Much Hogs Lard

When the Mouth and Tongue are Dry, hot
and parched,

℞. Syr. Dialthea alb. Aven āā ℥i
Succ. alb. ℥fs Misce f. Lohoch or.

℞ f. aq plantag. & flor Sambucina ℥ij
aq Rosar Rub ℥ij alb Aver ℔ 4 Sacch alb ℥i
f. Gargarisma

or ℞. Rad althea Liquorit. hord Mundat aa ℥i
cert lulis interm. Gum Arabic aa ℥fs
Ficorum ℔ viij coq in aq font Diij ad Div
Colat add e Syr althea ℥iij Lohoch Sanic ℥fs
fiat Gargarisma

℞ f. Conf. Cynosbat ℥fs Syr & Succ Sambuci
ab. Amygd d. aa ℥fs f. Mixtura ——

——For Wm Worth's Wife Hayling ti.th a
Rheumatic Disorder

℞. Antimon Diaphor
Ac. Cy Spt aa gr vj
Sal prunel gr xv Theriac. Andromach ℥fs
Misce f. Boles's hr. ij

℞ aq Mentha ℥ij, Julep ℥is, Spt Lav Comp ℥fs
Syr. Mor ℥ij Tinct Castor ℥i Laud Liquid. Sydh. Gutt. xx. v

59

℞. ℈ij. Antimon Diaph ℈ss
, Sal. prunel pulv elect. aa ℈i M. f pulvis
In Sext Chart divid Capt. bujam 4tr. horis
Cui Coch ij Julap. Sequentur —
℞. Aq. Mentha ℥iij Julep ℥i
papav. Rhr. ℥ij ng. Boyon c Epidram
℈ss Syr. e Mecon c ℥ij Misce f Julapium

— For the Rheumatism —

℞. Antimon Diaphor. ℈ss
Tart Astrar — ℈i
Sal. prunel ℥iij Misce Divided Chart.
xv^ta Capt. h-quart. quaq hora

— of the falling Down of the Womb —

℞ Take of the Bark of the Oak ℥ij boil it in
4 Quarts of Spring Watr. till one half be
Consumd adding towards the end the
Juice of a pomegranate brated ℥i red Roses
and pomegranate flowers aa Mij
then add half a pint of red Wine
Let this part affected be fomented with Woollen Cloths
Dipt in the Liquor that is Strained Out, two hours before
the patient rise every Morning and at Night &c

Of the Immoderate flux of the Term.

℞ 8 of Blood to be taken from the Arm
The next Morning the Common purging
potion 2 Dos.es every other Day
Drinking at night a composing Draught
of Syr. Althææ
In the Intermediate Day's the following
Electuary

℞. Conf. Ros. Sar. Sic ℥ij Troch. Lemn ℥ij
Cort. Granator Coral. R. ℔ss. Balus Armen
aa ℥ij Lap. Hæmat. & Sang. Drac aa ℥i
Syr. Cyd. q.s. M. fiat Electuarium
Take the Quantity of a Nutmeg in the Morning
and at 5 o'Clock in the afternoon Drinking
after it Six Spoonfuls of the following Julap

℞. of the Water of Oak Buds and plantane
aa ℥iij Barley Cinnamon Water and Syrup
of dry'd Roses aa ℥i ℔ss. Vitriol ad Gratum
Acidit atem M. fiat Julap

℞. of the Leaves of plantane and nettles of each
a convenient quantity Beat them together
and pres out the Juice of which being clarify'd
4 or 5 Spoonfuls to be taken at pleasure

52. After the first purgation the following plaister
to be Apply'd to the Region of the Loins ——

℞. of Vermillion plaister and the plaister for a
Rupture of Each Equal parts Sydenham
—— of the Suppression of the Lochea ——

The Hysterical plaister to be Apply'd to the
Navel, then the following Electuary

℞. Conf. Absinth. ℥ Ruta aa ℥j Troch Myrrh ℥ij
Cast. Rus Croc. Anglic Sal. Volat. Succ Sal. Armoniac
a aa fetid aa ℥ss Syrup of y 5 Roots q.s f. Elect
Take the Quantity of a Nutmeg Every 4 hours
with 4 or 5 Spoonfuls of the following Julep
℞. Aq. Rut ℥iv Bryon ℥ij Saccar. alb. q.s.
f. Julapium
or take a Scruple of y Troches of Myrrh Every 4 hour
If after the prescribed quantity of these Remedies
is Consumed and the Lochea Continue still to be
Suppressed Exhibit in Doses of Laudanum Liquidum
in Compound Bryony Water or one Grain and a
half of Solid Laudanum w.th half a Scruple of asafetid
made into pills
If this Suffice not let a Clyster of Sugard Milk
be once Injected Sydenham

For Sores that are broken
Exceeding good. or Chilblains

Take a quarter of a pound of Mutton Suet
off a Lyne of Mutton and Shread it very
Smale, Boyle it in a Pint pishin a Little while
and put in as big as a hasell nutt of Brown
rosin and half an Ounce of Bees Wax
When it is Boild Straine it through a Cloth
Then put in a good Spoonfull of Sallet Oyl
Stirring it Well till all be well Mingled
To be laid Spread upon a Linnen Cloath

An Infallible Remedy for
any Burning or Scalding

Take an Ounce of Wax & melt it in an
Ounce of Sallet Oyl then take it off the
fire and mingle well therein two yolks
of Eggs rosted. Spread a Little of this very
thinne bring Cold upon a Linnen Cloth
and apply it upon the Sore, changing the
same twice a Day This will in a very Short
Time appease the pain and heal without
leaving any Scar

To Cure the Jaundice

Take 2 pennyworth of White Sugar Candy one Nutmegg 3 pennyworth of Saffron 2 Egg Shells. ~~Dry~~ Dry them in an Iron pound them all Severally, then Mixe them all together As Much as will Lye upon a groat Night and Morning will Cure the Jaund. It Must be taken in White Wine three Mornings and Evenings together ——

For fits of the Mother

Take The Quantity of a Nutmeg of Diacurd. Cast. pulo gr v ob. Castor. gutt. of Mijce To be taken after the fit ——

It Must not be Given to Women w.th Child

a Purge for a Child 1½ oz of Syr. Cichor C Rhco Ʒj ——

Epilepsy In Children from Denton ——

℞. pulo. Subtiliz. Rhabarb. opt. Ʒj ob. Anis gutt ij m. divid. in Chartas vj Sumat unam omni vel alternis noctibus e Cochlari Lactis Materni pro re nata

If the Distemper be Violent Apply a Vesicatory
to the Neck; and at the Same time,
℞. pulv. de Gutt. ℈ij Spec Diamb. Castor ruf
aa gr. iij M.f. Chart 10 Sumat hujus quarta
quaq; hora è pauco Julapio Sequatur ——
℞. Aq. Cras. Nig. Mentæ aa ℥j Syr. paon. c
aa. ℥ß Aurc Mosaici ℈j M.f Julapium ——
℞. Spt.s Lavend. comp. Tinct. Croci aa ℥ß
M. detur Gutt x ter quotidie, C. Julapio

An Epithem Against Bleeding
at the Nose ——
Take Vinegar ß half a pint; Sugar of Lead
1 Ounce Dissolve ——
Fold a Linen Cloth Dip it into this Liquor
Apply it absolutely Cold to the Region
of the Heart, and as oft as it Looseth Warmth
repeat it Cold again ——

56

Wm Woods Wth a Diarhœa

℞. aq. Cinnam fort ℥ss
Menth ℥i Pulv Rhaj gr xxv
M. f Haustus hora somni sumend

℞. Pulv Rhaj gr xxv
Syr. Cydon. q. s. f. Bolus

℞. Coral. R. pp. Cor. C. C. p. aa ℈i Misce
in 6ta part aq. Dest
Sum. unam 2da quaq hora

Decoct alb. ad Libit

℞. Ter. Japonica Sang Draco
Bolus Armen aa gr x Confect
Aromat ℈j Laud Liquid Syd.
Gutt xx M f Bolus

℞. Laud Liquid gr v aq. Menth ℥ij
Cinnam. f. ℥ss Confect Aromat
Tinct. ℥ss Alexipharm ℥i Syr Cydonior ℥ij
Misce Cochleare Ostea

℞. Confect Traacat. Sbn. ℥ij
Cinn ℥ss Mentha ℥ij Confect
alkerm ℥ij Syr. Cydon ℥vj Misce
D.tur Wood's

A Balsamic Respiratic Mixture

Take Balsam of Capivi half an Ounce
oil of Juniper half a Dram Dissolve
it in the Yolks of 2 Eggs and add
Syrup of Marsh Mallows compound
2 Ounces and a half Arsmat Watr
10 Ounces Mix

1 Spoonful to be taken often

For the Shingles

℞. Aug. Nutrit ℥j alb. Cassiæ ℥j Gumm
Sacch. Saturni ℥j ol. Lini gs Misce

For a Cough ——

℞. of S. Amygd. d. ℥i Syr. e Mecon ℥ss
Balsamic ℥ss Misce

For the Squizy in the Throat

℞. Tinct. Sals. Corinth. Nigr Garaxac
aa ℥ij Currants ℥y ——

To be boild in four pints of Watr. till
a pint be Wasted then Strain it Out
& Sweetned. th. Sugar a Draught
oftenas for yr. Common Drink ——

by Acidities there. Soap alone in the Quantity of half an Ounce, or an Ounce a Day, is very useful in habitual Costiveness, and in Obstructions of the Catamenia, or Additions thereto, especially if there be previous pains; as is Strong lime wat. Mixed with an Equal Quantity of Milk, and used for Common Drink, in habitual Loosenesses, I am also inclined to believe that a Diet, consisting of Bread, Milk, and lime wat. alone, if rightly adhered to, and persisted in for a sufficient time, would be of the greatest Service in Many Scorbutick and Scrophulous Cases.

Feb. 10. 1765. D. Hartley

Medicine this pound ought to be mixed with Milk only a few Moments before it is taken; otherwise it will acquire a great Increase of Acrimony. Pot ash purified by Solution, filtration and Evaporation, or fixed alkaline Salt of any kind, may be used instead of Salt of Tartar both in this and the foregoing Medicines

B. A sixth or eighth part of either of these Medicines taken every day, seems sufficient to prevent the formation of the gravel or gravel Stones. Half an ounce of Mean Soap, or a pint of strong Lime Water taken Every Day, may also in general be sufficient for the same purpose, Neither is there any reason to apprehend, that any of these Methods will be hurtful to the Health, tho Continued for many years on the Contrary, Soap, Lime, and Lime Water, appear to be very Salutary to Most persons in the Decline of life, and to be excellent Medicines in the Gout, Indian Medicines, and in all such Disorders in the first passages, as arise from, or attended

and thereby to occasion great Irritation, pain and Danger. for the same reason the Medicine ought not to be intermitted, whilst rotten frag^ts are voided.

12. Where a person cant Swallow the Balls, nor take a sufficient Quantity of the above Mentioned Medicine in any other form, the following may be directed in its stead, Viz. Mix equal parts of powdered Quick Lime and Salt of Tartar together, and let the patient take a Quarter of an Ounce of this Mixed powder in half a pint of Milk three or four times every Day. this Medicine appears to be of about equal Efficacy with that before Mentioned, but more apt to increase the pain and Irritation, It cant be taken in due Quantity in any other Vehicle besides Milk as far as I have been able to discover, and when not taken in due Quantity, it appears to me to expose the patient to the Hazards Mentioned in the last article, in a greater degree than the foregoing

of cold Watr upon ℔i of Quick Lime, stirring it about and after it has stood for two or three Hours; pass it thro' filtring paper.

℣. Where the Irritation and pain are very great also where the patient is subject to discharge Much Blood w.th his Urine, the Medicine ought to be prepared w.th a very Mild Lime & Soap, and even w.th a less proportion of Lime, than according to the foregoing Direction. the Salt of Tartar may also be left out, as the Mass will not be so apt to Grow dry. But it seems requisite to give the Medicine in due Quantity in such cases, lest the Stone should happen to be of so brittle a nature as to fall into fragments, ~~broken & cautery~~ with Sharp Edges and Corners for in a small Quantity the Urine is not powerful enough to make these Edges and Corners grow rotten, and fall off from the fragments; but on the Contrary, shou[illegible] Suffer those fragments to Continue rough & [illegible]

ounces of the Mass every Day. Less than three ounces every day ought not to be depended upon for a Solution of a stone, and I can't Authorise any one from Experience to take More than four, 3. 4 or 6 Rolls may be taken at once, and at any Hour of y^e Day, according as each person finds his Stomach best able to digest them

9. if one of these Rolls be laid Longthwise on the Tongue, and then a Mouthful of Wat.^r be taken and Swallowed, the Roll will slip down along w.^th the Wat.^r So as scarce to be perceived in its passage

10. if the patient drinks Lime wat.^r & Milk for his Common drink, during the use of this Medicine, the Cure will be forwarded thereby: but then it will probably subject him to a greater Degree of Irritation and pain in the Urinary passages; and therefore is not advisable in Cases where those Complaints are already Considerable. Lime wat.^r is Made by pouring Cold

may digest it easily, and y^e Bowels absorb the
Efficacious part in it to passage along them
if therefore it should at any time grow so hard
and dry, as to lie heavy upon the stomach, or
pass thro' the Body undissolv'd, it will be proper
to beat it over again, w^th the addition of a little
more Wat^r and Salt of Tartar, the same purpose
may be obtained, by using a weaker Lime, or
a less proportion of a strong one.

7. This Medicine must not be prepar'd in a Copp^r
or Brass Mortar, lest it should Corrode the Metal
& receive a taint from it, and so occasion Sickness
or Vomiting.

8. The Method of administring it is as follows
Make each Ounce of the Mass into 8 Rolls, of
about two Inches in Length, and a little taper
at each End; and let the person who has a
Stone in y^e Kidneys or Bladder, take from 4
to 24 of these Rolls, i.e. from 3 to 4 Ounces

the Air for some Days. this powd.r is to be
passd thro a fine Sieve.

4. the Lime wch is made from Lime Stone is
Stronger than that made from Chalk, or the
Shells of Eggs, Oysters, &c However, this
Last is Sufficiently strong, for the genral
purposes of this Medicine, when highly
Calcined and fresh. and on the Contrary, the
Strongest Stone Lime May be made weaker
at pleasure, by being Exposd to the Air 7.
or by repeated affusions of fresh water.

5. Strong Lime is a more powerfull Solvent
than weak, but then it is More apt to occa
-sion irritation and pain in the Urinary 8.
passages. Now Soap appears also to be both
More irritating, and More powerful than Alk

6. The Chief Use of the Salt of Tartar is to preserve
the Mass Soft. this is Necessary that the Stomach

Directions for preparing and administring
Mr. Stephens's Medicine for the Stone
in a Solid form

1 Take of alicant or Castile Soap eight ounces
of powdered Quick Lime one ounce of Salt of
Tartar Bj. Shave the Soap, mix it with the Lime
and Salt and beat all into a soft mass, by
adding thereto as much water as is necessary
for this purpose.

2 The Weights here intended are the Apothecaries
weights, but the Medicine may be prepared
by any other, care being taken to preserve
the proportion of the Ingredients here directed.
That is to make the Lime an Eighth part
of the Soap and the Salt an Eighth p.t of the Lime

3 Quick Lime may be reduced to powder for this
purpose of this Medicine, either by dipping it
in Water for a few Moments or by Exposing it to the

Sumat Ʒss Æthiop: Miner: bis in
die e Mixtura Seq.

℞ aq Lact. Alex Syr. Balsam ā Ʒij Misce

℞ Calomelan gr iij Rhabarb gr v
M f. pulvis Semel in Septimana
Sumend e Ʒij Syr. de Rhab

℞ Sperm Cat Ʒi
Æthiop. Min Ʒss
Ol. Amyg d. d. Ʒi
Cerae Ʒss M. f Linimentum quo
Linguntur partes Maxime affecta
bis in die

The Wid' Champ. Child S 3/3
Mar 9. 1748 3/4

℞. Syr. Cydonior ℥ij
M. Sumat Cochl iij 2da quaque
hora Remittente febre

℞. Decoct alb. ℔ss
aq. Cinnamom Tortr ℥iij
Sachar albiss ad Gratum
Edulcoratum
M. bibat Haustum Calide
Sæpe

Ft. Mr. Maidlow
Mitte Haustus Cordiales
No. vj

℞. Aq. Bryon. c ℥ss Pulegij ℥iij
Mentha ℥ij Syr. e Meon ℥ij
Tinct Castorei ℥ss Misce. Inclap. Hysterico
2 Spoonfuls Every 2 hours Mr. Knight

℞. Decoct Senna ~~Co Mann~~ ℥iij
Sal. Absynth ℥ss Tinct. Rhei ℥i Misce
fiat Cathartic Mr. Maidlow

℞. Pulv: Ethel ʒ Sperm. Cet āā gr. xxv Cassiæ gr iij
Aq. Pæon. ℥ ss Julep. ʒ j Cinnamom. ℥ ij
Misce f. Haustus Vel Balsam. q.s
to be taken an hour before the Cold fit
and repeated in Six Hours after

℞. Sal. Absynth ʒ ij Syr. Limon ʒ ij aq. Cinnamom. ℥ ss
ℨ vj Julep. ʒ ij Syr. Balsam. q.s. Misce
The Stomachic Mixture two Spoonfuls to be
taken Every 3 or 4 hours

℞. Decoct Hord. perlat ℥ vj Mel. Rosar ʒ ss
Syr. Rub. Idæor ʒ ij Sal. prunel ℥ ss Misce f. Gargarism
For Mr. Maidlow Sept.

℞ Pulo Ethel Cy C ℥ ss
aq. Cinnamomi Tem ℥ ss.
Fortis ʒ ij
Syr Croci ℥ ss Mistus
hora Octava hac nocte Sumendus

℞. Sal. Absynthii ʒ ij
Sumi Limon ℥ ij
aq. Cinnamomi Tem ℥ vjque
Fortis ʒ ij

℞. Pil. Scillit ℥fs. Balsam Peru gtt. iv
M f. Pil. N. V pulv Oculi Canor involvend
& omni nocte deglutiendæ
Lateri dolenti admoveantur Emplast
de Cymino Camphora inspers.
July 28. 1743 G C
Ster M.r Sone

℞. Elect Mithridat: ℥fs
Aq. Cinnam Hordeat ℥j.
Sort ℥ij Syr de Meconio ℥iij
M f. Haustus h. S capiendus
& crastino mane repetendus.
July 28 1743 G.C
Ster M.r Sone

If y.e purging continues after these
two Draughts to be repeated at proper
distance of Time and make use of y.e
Syr Caryoph instead of y.e Syr de Meconio
except in her night draught, if y.e purging
Stops go on w.th y.e Medicines last Ordered Omitting
y.e Pil. Scillit.
G C

95

℞. Tinct Sacr Vini ℥ij ℥j
Spirit Lavend Comp. ℥ß M f.
Haustus h. S capiendus & crastino
mane repetendus.

Crastino hocte capiat Haustum Cardiacum
ultimo præscript
July 6. 1743. GC

Scr Wr. Hous

Fervat in Vsu Haustus Amar hora
11ma matutina & quinta pomeridiana
Capiat Haustum Dieet ultimo præscripti
hocte et in promptu sit Haustus Cardiacus
cuente paroxismo capiendus ———

℞. Tinct Sacr ℥j
Spirit Lavend. Comp ℥ß M f Haustus
h. S capiendus & crastino Mane repetendus

℞. Succus Amar. Comp ℥ij
Aq. Cinnam Comp ℥iij M f.
Haustus hora 11ma matutina capiendus
& quinta pomeridiana repetendus

Q5

℞ Aq. Lactis alcait. ℥j
Syr. Paeon Comp ℥ij
Elect Mithridat ℈j
Castor rubr gr iv. Syr paeon
Comp q.s M.f. Haustus imeunte
paroxysmo capiendus

℞ Oxymel Scillit ℥j Tinct Salis Sort ℥ij
Aq Cinnam Hordeat Diaphnit aa ℥ss
Syr de Diacodio ℥j M.f. Haustus omni
hocte h.s capiendus

℞ Infus Amar Simp ℥ij
Sapphira Comp ℈ss
Elix Vitriolic gutt xij M.f. Haustus
h. IIda matutina capiendus & Vta pomerid
respiendus.

℞ Conserv Cynosb. ol. Aurant dulc aa ℥j
Syr. Cort. Citr ℥ss ol. Sulph per Camp. q.s.
ad gratam aciditatem f. Linctus cujus
capiat Coch parvum largente Tussi
Exacerbatur pars affecta Statu Discutient addendo
Spirit Vini Tempore usus

Dieby 12. 1745 Illust Sone GC

26

℞. Tinct Sacr Vino ℔ℓ. ℥iv.
Spirit. Lavend Comp ℥j capiat
Coch ij alterius Noctibus.

℞. Rad Valerian Sylvest pulv. ʒj
Castor. Russ gr ij
Syr. Paon. Comp q.s. M.f. Bolus
bis die Sumendus. Superbibend Pch.
vj Sulaefi Sequentis.

℞. Aq. Lactis Asinit. ℥vj
Paon. Comp ℥ij
Syr Paon Comp q.s. M.f. Julapium
Jul Bracchio Dext. aperiatur Fontanella

June 20. 1743

Yor Wm Mariner

I heard to see you at Bedtamp

℞. ol. Amygd. dulc ℥ss
Aq. Hyssop ℥iss
Theriacal ℥ij
Spirit C C per se Gutt. xv
Syr Balsam. gtt. vi M f Haustus ter
quaq; hora capiendus.

℞. ol. Amygd. dulc
Syr Cap. Ven aa ℥j
Conserv Cynosb. ℥ss M. f Linctus cujus
capiat Coch parvum largute Tussi

℞ Spirit Vini rectif. ℥vj
ol. Lini ℥ij
Spirit Salis Ammoniac ℥ij
Camphor ℥ij M f Embrocatio cum qua
foveantur partes affecta bis in die
panno lineo super imposito.

May 21. 1743

For Mrs Sone

℞. Sal. absynthij ℥iij
Succi Limon. ℥ij
aq. Cinnamomi Fort ℥vj.
Tinct: ℥ij Syr. Balsamic
℥ss
M.

For Mrs Maidlow

Three Spoonfuls of this Mixture to be
taken every four Hours — Mr. Farrell

℞. ol. Amygd. Dulc ℥ij Aq. Limac Mag ℥ss
Lactis — ℥j Elixr. Astmatic gtt. xxx
Sp. Corn. Cerv gtt. x Syr. Althea ℥ij M. f. Haustus
hora Somni sumend

℞. ol. Amygd Dulc ℥ij
Sperm. Cati ℥ij
Syr. Balsamic
Conserv. Rosar. Rubr. aa ℥ss
M. f. Elect. Argentin Jusso Sumend:

For
Mrs. Lawson
Post Down

Pro Capt. Brooke

℞ Decoct. Semin: ℥iss Elix? salutis
℥i — in aq. Distillat. Mannæ ℥vj
M. f. Pro Statim sumend —

℞ Elect. Lenetiv. ℥i Cremor Tart. ℥iij
Sal: Prunell ℥iss Philo. Cornachin ℥i
ol. Succin. Menthab. gt. iij Syr? Dessic
Cerussæ: q. s. M. f. Electuar. De quo
Capt. quantitatem Nucis Moschat
Omni Mane & Hora decubitus quotidie
adde Electuario Sal Cassiæ. ℥ss

Jan. 1742 [illegible]

105

Jor Cap. Brookes

℞. Decoct. Comm. pro Clyst. ℥ iij
Hab. Lenetiv. ℥ vj. Sal. Gemm. ℥ j
Terebinth. Venet. in Vitello ovi. Solut. ℥ iij
ab. Camomel ℥ ß. Myr. Pneuma. Stat
Injiciend.

℞. Sal. Absynth. ℥ ß. Succ. Limon. ℥ ij
Philon. Roman. q. s. ℥ ij. Tinct. Myrr. Diamb.
Sem. Cardam. ana ℥ ß. aq. Menth. ℥ ß.
Syr. e meccon. ℥ j. M. S. Menstural Statum
post Ejectionem Enematis Sumendus
Repetatur Mane, Sero, 6ta quaq; hora
Si Dolores Ridicant

Feb. mi da 2. 1749/50 Mart.

Aq. C.C.C. Gum. Arabic aa ℥ij
Rad. Tormentill.
Bistorta,
Cortic. Pomar. Granat. Exsiccat. aa ℥ß
Alumin. contrita, conditor. & contrita
deinque cum aq. ℥ij ebullire, cola
Decocto percolato immisce
Sacchar. Saturn. sine Mercur. ℥ß
Aq. Cinnamom. ℥ij
Syr. Cydon. ℥ß
Caps. ℥ij post omnemque dejectionem
Liquidam — M. Steron, Med.

203.

℞. Decoct Cort Peruv ℥vj
Aq. absynth mag. comp ℥ij m
capiat Coch iij secunda quaq; hora
absente febre.

℞. Pulv e Chelis ℈ℌ gr. xv
Sal. Absynth gr iv M f pulvis
e quinto quaq; hora capiendus cum
Coch ij Julapij præscript
Sept 21. 1742. G L
Jno Jones Chir

Vesicæ applicetur Emplast Epispast

℞. Decoct. Caner. ℔ss gr xviij
Sal Nitri gr iij M ℔ pulv Statim
Sumendus & quinta quaq; hora repetend
in Cochl ij Sulaph ij Sequentis

℞ aq. Lactis tepesct
Ceras Virgr aa ℥ij Syr Balsm
q s M ℔ Sulapium

Sept 2. 1742
Per Mr Jones Child G.C

℞. Decoct Caner ℔ss
Coral. rub. pulv aa gr viij Sal. prun
absynth aa gr iij pulv quinta quaq hora
capiendus in Cochl ij Sulaph ij Sequentis

℞. Aq. Ceras Virgr ℥ij
Tinct Croci gutt xx
Syr. Caryophs q.s M ℔ Sulapium

Sept 4. 1742
Per Mr Jones Child G C

105

℞. Diascord. ℈ ss. M. ℥ij
ad Cinnamom. Ten. ℥vj
fortis ℥ij
Sp. Lavend. c ℥j
Syr Cydonior ℥ss. M.
f. Mistura. Sumat Cochl. iv
post singulas Sedes liquidas

℞. Tre Ipecac. ℈j
Sp. Lavend. c ℥ss M.f.
Haustus Emet. Sumat
Vesperi c Thea Flor Chamomel

Post Emetici Operationem
capt. Cochl. ij Misturæ restring
Lecto ingredior

M.D. Patrick Heron

M.D. Andrew Heron

℞. Pra Apocad. ℥ij
Spt: Sanud: & ℈j. m.f. Pulv: Mane
primo Summd. cum q.s. Jusc. Glor.
Cham:

℞. Decoct. Semin Gor. ℥ij
Manus Apt:
Sab. Glauber aa ℥iij.
Syr De Cyn. Coro: ℥ij
Aq. Mirabil: ℥ij. M.f. Potio Mane
proximo Summenda post Pulvisculi
Operationem

℞. Pulv: & Cheb. bg Semp: Apt.
Sactis Sulphuris aa ℥ij. M. & divide
in Chartulas vj. quarum Sumat
1am Mane & Vesperi in Cochl. ij.
Sactis Pisinis Supperbibendo ℥vj
Reiteretur Potio Purgativa Semel
in 7. Tert.

Miss Rebecca Rolfe
July 27. 1742 M.r Andrew Heron

℞. Cort: Peruvian: opt: pulv: ℥ij
Coq: in aq: fontis tribus Vicibus
Colat: Bullient: ℔. j. fiat
Rad: Gentian: rubr: ℥ij
Flaved: Cort: Aurant: ℥ij. Cochineel: grx
Colat: add
aq: Absinth: mag. ℔ij:
Vin: Chalyb: ℥ij
℞ Summ: cochl: v Mane et horam
circa quintam pomeridianam quotidie

℞. Gum: Ammoniac:
Sagapen: aa ℥j
Castor: Rus: ʒj
Sal: Vol. Succin. grv
Tinct: Castor: ʒ. ß. M
f. pulule Mediocres Summ: iij
Singulis noctibus

Jno Mc Hoon
May 25. 1742

L. S.

℞. Rad. Gentian; ℥ij.
Flaved: Cort: Aurant: ℥ij
Cochinilla q.s. Inf. in aq. f. Bullient
q. s. Colat. ℔j, adde aq. Absinth. ℥=
℥iij Misce

a Small Glass to be taken morning
& Evening;

For Mr. Hoar; ℔ß
Jan.y 26. 1741

℞. Sem: ℈: Cynosc q.s. Superinsueta
Super clutam Lateri affret: quam
Primum applicandum

℞. aq: Papav: Rhœad ℥ij
Syr. Ejusdem, ℥ß
Gumi Camphor ℈j (in aqua Nephri
Soluta) ol. Lini ℥ij aq. Nephritica
℥ij. Spt. Nitri Dulcis ℈j M. Sumat
Cochl iij 4.ta quaq.e hora & Cochl.i
Urgente Dolore Lateri Vase Primum
agitatae; — For Mr. Mandlow. Ser.r
Mr. Harnell May 2. 1742

℞. Cort. peruvian: opt: pulv. ℥ij
Sal. Absinth: ℥j. Coq. in Aq. Vitæ
in aq. f. ℥j. ad ℥ss Colatur Ditis
add Syr. Caryophyll: ℥ij
Hujus Summat cochl. v. 4ta. quaq. hora
extra paroxysmum

℞. Gum Galban: Ammoniac: aa ℥ss
Sal Tart ℥ss
M. f. pilulæ mediocres. Sumat iij
singulis noctibus

℞. Sapon. Contrayerv: ℈j
Sal. Absinth gr. viij
Syr. Caryophyll. q. s. ut
f. Bolus jam Sumend

The Bolus to be taken about an hour
before the Coming of the cold fitt in ord
encouraging Sweating with warm
Small Whey

Thos. Wm. Hoar
Jan.y 6. 1784

J. R.

Recd

Simmat gr: xxv Ipecacuanh: cum Regimine

℞. Sal. absinth: ℈j Succ: Limon: ℥ij. aq.
Cinnam. ten: ℥ß. Sacch. ℈ij. gutt xij Sach. alb.
parum. M. f. Haustus post Emetici
Operationem assumend: et bis in die
Sumend: cum vel Sine Laudan.

Dec. 12 1741. Jor M.r Hoar Hav.t S. B

℞. gil. Russ. argenti Vivi ℈ij.
Balsam. peruvian: q. s. ut. exactissime
ut f. pilulæ mediocres quarum Sumat
iij. hora Somni urgente alvi Iarditate

℞. Sal. absinth ℈ij. flor: Chamom. Rad
Gentian: ℈ij flaved: Cort: aurant ℥ij
Inf. in Aq. f. Bullient. q. s. Colat. Diss
adde aq. Absinth: magn. ℥ij. ft
Dec.r 19 1741. Sumat cochl. vlor in die horis Medii

Jor M.r Hoar of Hav.t

S. B

xxx

May be Lepseted for the Same Reasons
But as Soon as the Person can bear it
he Should take them in the Above
Mentioned Proportions and Quantys
Instead of the Herbs and Roots before
Mentioned, I have Sometimes used Others
as Mallows, Marshmallows, yarrow red
and White, Dandelian, Water-Creses
and Hors Radish Root, and do not Know
of Any Material Differance;
This is my Manner of Giving the
Powder and Decotion. as to the Pills
their Chief Use is in fits of the Gravel
attended with Pain in the Back and Vomit=
=ing, and in Suppresions of Urine, from
a Stoppage in the Ureters. in these
Cases the person is to take five Pills
Every Hour Day & Night When
awake, till the Complaints be remov.
They Will also Prevent the formation
of Gravels and Gravel Stones,

In Consumptions Subject to Bred them
Plan or fifteen be Taken Every Day

or Lessen that of the Decoction, which is
Laxative or take Some other Suitable means
by the advice of Physicians.
During the use of these Medicines
The Person Ought to Abstain from Salt
Meats red Wines and milk, drink few
Liquids, and use Little Exercise, that so the
Urine may be the More Strongly Impreg
=nated with the Medicines, and the Longer
Retained in the Bladder. If the Stomach
Will not bear the Decoction a Sixth part
of the Ball made into Pills must be taken
After Every Dose of the Powder, Where
the Person is Aged, or of a Weak Constitu
tion or Much Reduced by Loss of Appetite
or Pain; The Powder Must have a Greater
Proportion of the Calcined Snails than
Acording to the Forgoing Direction
and this Proportion may be Increased
Suitable to the Nature of the Case, till
There be Equal parts of the two Ingredi
The Quantity also of both Powder and Decoction

Viz, In a Morning after Brakfast
In the afternoon about five or Six,
and at Going to bed. The Dose is a
Dram & ½ or Sixty Six Grains
which is to be Miat in a Large Tea
Cupfull of White Wine, Cyder or
Smale punch, and half a pint of the
Decoction is to be Drank Either
Cold or Milk Warm after Every
Dose,
If the person be Costive during the
Use of them Let him Take as much
Lenitive Electuary, or other Laxative
Medicines as may be Sufficient to
Remove that Complaint but not
More: For it Must be a principal
Care at all times to prevent a Looseness
which would Carry off the Medcines
and if this does Happen, it will be
propper to Increase the Quantity
of the powder, which is Astringent

The Pills are thus prepared

Take Equal Quantities of Snails Calcined as before, of Wild Carrot Seeds, Burdock Seeds, Ashen Keys, Hips & Haws, all Burnt to a Blackness, or which is the Same thing, till they Have done Smoking Mix them together rub them in a Mortar and pass them Through a Cypress Sieve. Then take a Large Spoonful of this Mixture & ℥iv. of Alicant Soap, and Beat them in a Mortar w.th as much Honey as will make the Whole of a proper Consistence for Pills, Sixty of Which are to be Made Out of Every Ounce of the Composition —

The Method of Giving These Medicines is as follows, When there is a Stone in the Bladder or Kydneys the powder is to be taken three Times a Day. —

And I. Esteem those best Which are
Done In the first of these months.

The Decotion is thus prepared:
Take four Ounces and a Half of the
Best Alicant Soap. beat it in a Mortar
W.th a Large Spoonfull of Swines Crepses
Burnt to a Blackness and as much
Honey as will make the whole of
The Consistence of paste. Let this be
formed Into a Ball. take this Ball
and Green Chamomile or Chamomile
Flowes, Swet fennel Parsley and
Burdock Leaves of Each Zj. When
There are not Greens take the same
Quantitys of Roots, Cut the Herbs or
Roots, Slice the ball, and Boil them
In two Quarts of Soft Water half an Hour
Then Strain it off, and Sweeten it W.th
Honey.

Which Ought to be of a very dark
Grey Colour.
Note if pit Coal be Made Use of, it Will be
proper in order that the fire may the
Sooner burn Clear on the Top, that Large
Cynders and not fresh Coals be placed on
the Tiles Which Cover the Crucible

These powders being thus prepared, Take
the Egg Shell powder of Six Crucibles, and
the Snail powder of One, Mix them
Together rub them in a Morter and
pass them Through a Cypress Sieve,
This Mixture is to be Immediately put
up into Bottles, Which must be Close
Stopped and kept in a Dry place for use
I Have Generally added a Small Quantity
of Spines Cresses burnt to a Blackness
and Rubbed fine; but this Was Only w.th a
View to Distinguise it. The Egg Shells
May be prepared at any time of the year
But it is best to do them in Summer
the Snails ought only to be prepared
In May June, July & August

1st

That there may be room for the Swelling of the Egg Shells in Slaking. Let the pan Stand uncoverd in a Dry room, for Two months, and no Longer. In this Time the Egg Shells will become of a Milder taste, and that part which is Sufficiently Calcind will fall into a Powder of Such a fineſs as to paſs through a Common Hair Sieve; which is to be Done accordingly

In Like Manner Take Garden Snails With there Shells, Cleaned from the Dirt, fill a Crucible of the Same Size With them Whole, Cover it, and place it in a fire as before, till the Snails Have done Smoaking, which will be in about an Houre taking Care that They do not Continue In the fire after that. they are then to be taken out of the Crucible, and Immediately rubbed In a Mortar to a fine powder

A. Full Discovery of the Mediines Given by me Joanna Stephens, for the Cure of the Stone and Gravel.

My Mediines are a Powder, a Decoction and Pills.

The Powder is thus prepared

Take Hens Egg Shells well Drain'd from the Whites, dry and Clean, Crush them Small. w.th the Hands, and fill a Crucible of the Twelve Size which Contains Nearly three pints, with them, Lightly Place It in the fire and Cover it w.th a Tile, then heap Coles over it. That it may be in the Midst of a very Strong Cleare fire, till the Eggs Shells be Calcin'd to a Greyish white, and Lose an Acrid Salt Taste: this will take up. Eight Hours at Least. after they are thus Calcin'd. put them into a Dry Cleen Earthen pan, which Must not be above three parts full;

1 lb

Antihect poter: Zij. Spu. Diambr. S. a. Zifs
Misce

℞. Laudan Liquid. Gtt Zij S.
the Cordia. Drops

℞. Elix.r Vitriol. Zij. S.
The Elix.r

The Quantity of a Large Nutmeg
of the Electuary to be taken
three or four Times a Day
In any Liquor

D.r Thor. an Hydrophobia

Take Wormwood Rue Southernwood,
of Each a Small Handfull, Boyl it
in a Quart of Ale to a pint,
a Quarter of a pint of the Liquor to be
taken Every Day, till it is all taken

For Frank Gawthner of Hal.x
D.r Rutter, for Anasarca;

℞. Ipecacuan. pul. ʒ ss. S.

℞. Decoct. Amar. cum Senna ʒ iij
Syr. Rhabarb. Althea aa. ʒ ss.
pulv. Rhabarb. opt. ʒ ss.
Crem. Tart. ʒ ss. m. f. potio

℞. pulv. e. Cortice Exter. aurant. &
Balsam. Tolutan & Cabeu aa ʒ i.
Myrrhæ Croci Ciriam. aa. ʒ ss.
& Cortic. peruv. Elect ʒ v. & Chel. Cancr. ℈ p
& Sang. Draconis & Lapid Hematit. aa ʒ ij

Pulvis Antiliſsus
Powder a Gainſt the Biting of Mad Dogs

Take Leaves of Rue, Vervain, Sage
Plantane, polypody, Wormwood, mint
Mugwort, Bawm, Betony, Hyperion
Centory the Leſs. aa. p i. Let them
all be Gathered When they are in
their Greatest Strength, Which is
about the full Moon in June,
and Speedily Dryed in a hot Sun
and to be Yearly renued, not beating
them to a Powder till you have
Occasion to use them,

The title Shews the Virtues for
for Which 'tis a Good thing, it is also
Good againſt Melancholy, frenzy,
Madneſs, and Bitings of other Venomous
Creatures and is prevalent againſt
pestilential and Malign Diseases

Dose 3ij or 3j

21.

℞. Terrebinth Venet. In Vit. ovi
Solut. ℥i. Melle Opt. ℥iij.
Decoct. Commun. pro Clyst ℥8
Misce fiat Enema Statim
Injiciendum & post vj. horas
repetend.

℥ Thor. W. Hutchens G. C.

℞. aq. Menth. ℥ij. Syr. Stypt.
Eatoners. ℥i. Syr. Cyd. ℥vj. M.
Cap. Coch. i Omni Semihora
urgente Hamorragia. E. R.

Chem. Coll. Phys. Lon.

℞. Sal. Vol. Oleos ℥ß. Sp. Lavend. c. ℥i
Tinct. Castor. ℥ii. Misce.
xxv Drops to be taken Morning and
Evening, in a Glass of White Wine and
Water; ad. Vertiginem

℞. Mellesp. ℥ß. Gr. xv
Sal. Nitr. purißs Gr. v
Sapon. Castil. ℥j. Syr. de Altth. q.s.
M. f. Bolus. Statim Sumendus
Superbibend. Haustus Apozem:
Sequent:

℞. Rad. Petroselin: altth. Fenic. d
aa ℥j. Sal. Mal. altth. Veron
aa M. j. Bac. Junip. ℥ß. Sem
Coriand. Fenicul. d. aa. ℥ij
Rad. Glycirrish. ℥ij. Coq. In aq.
Fontan. q.s. Colatur. Uncß. add
Vini alb. Unc. Syr. altth. ℥ß.
Misce fiat Apozema,

℞ Millefid. ℥ss. Sal Nitr. aa ʒj
Corn. Cerv. Cal. ℥ss ℈ij Cochineal
pulv ʒi. M. f. pulv. In Sext Chart
Dividend. Capiat unam ¼ horis

℞. Succ Cochlear. hortens. ℞ haff.
rust aa. ʒij. Syr. Symon. ʒij
Sp. Nitr. ʒs. ʒs. Sumat Cochij
in Hausu Seri Canarin. Cum Singul
Chart. Pulv. Supra præscript. Vesperi
Injiciatur Enema terrebinth Fuller

℞. Pil. Coch. Min. ℈j. Calomel ℥ss ʒs
ol. Junipser. q. s. M. f. Pilula nº viij
Capt nº ij. hortis horis donec operent

℞

For W. Hutchens ℈ℨ

℞. Sal. vitriol. pulv. ʒij
Tart. emet. gr. vj. Aceti scilit
ol. olivar aa ʒi. Sp.t nitr. d. ʒij
Syr. Dialthæ ʒi. misce f. Haustus
Emeticus Cujus Capiat Dimidium
Statim et reliquum Cochleatim
pro re nata Intor operandum
finita operatione Sumat haustulum
Vin. alb. Calefacti. —

℞. Aquæ menthæ ʒij Cinnam f. ʒi
Sal. absinthi Succini aa. ʒi
Sp.t nitr. d. ʒij, Syr. Lymon ʒi.
M. Sumat Coch. ij. Omni hora

17

℞. Tamarind. ℥ij
fol. Senn. Elect: ℥ij
Rhabarb. opt. ʒij
Crem. Tartar ℥i. Coq. in
Aq. f. q. s.
Colat ℥iij
add manna opt. ℥vj. Misce
f. potio cras Mane cum Regimine
Assumend

℞. aq. flor. paralys. ℥ij
Syr. de Mecon. ℥i: Misce
f Haustus hora Somni post.
purgat Assumend

Ther
Inv.s Barker
Feb. 5. 1740

S. B

℞. Sem. 4. frig. mat. ℥ss
papav. alb. ℥vj
Amygd: d. excort: n.o vij
aq. Hord. Disc. f. Emulsio
Cuj adde Sach: alb. ij. ℥i. M.
Sumat Haustum frequenter

℞. Decoct com. pro Clyst. ℥x.
ol. Lini Express
Sachar Culinar. ℥ ij Misce
f. Enema alternis diebus injiciend
Mittatur Sanguis Alternis
Diebus dolore urgente ad ℥x.

Jor
Wm. Baker J. B

Jeb. 5.a 1740

℞

Decoct: Dextor: ℥ij

Syr: Capil Ven: ℥ij m.f.

Apozema

℞

ol. amygd. d. Rect. expr. ℥ij

Syr: Capil Ven: —

Papav: Errat ää. ℥i

Sacch. Cand: ℥i. M. exactissime

ut f. Pulvis cujus agitando, Sumat

coch: i. frequenter, urgente Tussi

Superbibend. Haustum Apozem

Dor

The Reverend. Mr. Bradstone

J Z

0 Cm 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20
0 Inch 1 2 3 4 5 6 7 8
The Wellcome Library
x-rite
colorchecker CLASSIC
mm

58

Gr a Lough ——

amygd. d. ℥i Syr. e Mucil ℥ss

Balsamic ℥ss misce

The Wellcome Library